

Crop Baling Products



CLAAS | | | | |

ROLLATEX PRO



ROLLATEX will allow you to produce the best bales at a lower cost. With over 30% more netwrap than 'standard' 9,840' net wrap, ROLLATEX brings significant efficiencies to the baling operation and produces fully covered bales, consistently, helping to increase crop and fodder values.

ROLLATEX Netwrap is manufactured using with the special CLAAS COVERED™ technology. This guarantees full bale coverage – and produces the perfect bale, every time.

ROLLATEX PRO XW. CLAAS is offering a new net wrap within the PRO segment, suited to the new VARIANT baler with XW net binding option. With its width of 51", ROLLATEX PRO XW can bind the bales over edge. The result are smooth edges and better protection against moisture.



Roll Length	Width	Rolls/Pallet
14700'	48"	16
11500'	51"	16

Features & Benefits



ZEBRA® System

ROLLATEX PRO features the unique Zebra® system roll pattern. The asymmetrical striping pattern across the width of the net, gives the operator a very clear 'left-right' indicator when loading the roll. The Zebra system also indicates which way to unroll the bale when feeding or bedding by clearly showing the asymmetrical pattern on the bale.

Roll Carry Handles

Every roll of Rollatex Pro is fitted with carry handles to assist the operator in handling and carrying the roll.

Roll End Warning Stripe

A red stripe on the last 229ft warns when roll is coming to the end.

Guaranteed Minimum Length

Every roll contains the guaranteed stated length.

Weather Resistant

Minimizes loss due to spoilage

Easier to remove and dispose of than conventional twine

EnterNet feature - A special pre-fitted tag holds the beginning of the net and helps thread the net through the baler.



CLAAS COVERED™

CLAAS COVERED™ technology enables the net to maintain its width when feeding onto the bale, and cover the entire width of the bale. This unique ability gives the maximum protection to the crop as well as helping to maintain the bale's shape, reducing crop loss when handling and making storage easier.

High Performance Twine for QUADRANT Balers



CLAAS QUADOTEX 3400 - Our line of QUADOTEX twine offers the strength, reliability and consistency required for high-end baling. Specially designed to work with our new generation of high-density QUADRANT large-square balers.

- Maximum knot tightness to ensure top-notch reliable and consistent performance
- Extraordinary protection to minimize degradation from harmful UV radiation
- Giant spool size to reduce twine replacement frequency and maximize baler utilization
- Especially developed for the CLAAS single-knot system
- Smooth operation with limited wear on the baler



Item desc	Length	Knot Strength
Quadotex 3400	3850 ft	620 lbs
Quadotex 3200 XL	4520 ft	595 lbs

Polypropylene for Square or Round Bales

Orangeline™ and Balebind™

- Reduced machine wear
- Withstands “drop shock”
- Contains special UV light inhibitors
- Twine runs trouble-free in baler
- Always uniform consistency
- No tastes, smell, oil, or food value to attract rodents



Square Bales

10,000 ft. BT 190# knot strength	6,500 ft. BT 240# knot strength
9,600 ft. BT 210# knot strength	6,500 ft. BT 210# knot strength
9,600 ft. BT 170# knot strength	4,000 ft. BT 350# knot strength
9,000 ft. BT 130# knot strength	4,000 ft. BT 440# knot strength
8,500 ft. BT 245# knot strength	4,000 ft. BT 500# knot strength
7,200 ft. BT 190# knot strength	4,000 ft. BT 550# knot strength
7,200 ft. BT 170# knot strength	

Round Bales

20,000 ft. 110# tensile strength
20,000 ft. 130# tensile strength
20,000 ft. 140# tensile strength

* Other sizes are available on request.

TamaTwine+™

Polypropylene twine for large square bales

Tama LSB 4,400 ft. BT 450# knot strength



Degradable Polypropylene for Round Bales

ClearField™

Designed to give user the benefits
of both plastic and sisal twines



- Combines the unique benefits of plastic and sisal twines in one product.
- Lasts longer than sisal twine, but unlike plastic twine will eventually decompose.
- Yellow color for high visibility.

Round Bales

20,000 ft. 110# tensile in one spool

Sisal for Square or Round Bales



Brazilian Gold

Our Brazilian represents premium-quality sisal twines by COSIBRA, Brazil's most experienced twine manufacturer.

- Extra-long fibers for consistent trouble-free baling, uniformity, and true length
- High tensile and knot strength
- Specially treated to resist rodents and insects
- Biodegradable

Square Bales

10,000 ft. approx. 325# tensile

9,000 ft. approx. 350# tensile

7,200 ft. approx. 425# tensile

Round Bales

16,000 ft. approx. 180# tensile

Silage Twine (Untreated)

16,000 ft. approx. 180# tensile

WRAPEX Classic XXL

Stretch Wrap for Round Balers



WRAPEX stretch film is defined by its highest quality standards and enables the production of high quality silage. Our stretch film is manufactured at Europe's most advanced plastic extrusion facilities, in specialized processes which ensure manufacture of the highest quality products. WRAPEX Classic XXL is a film made with innovative production technology for up to 20% more film per roll.

- High useful lengths for maximum cost-effectiveness
- 7-layer co-extruded blown film with outstanding physical properties
- Ultra-robust, airtight bale closure
- Larger on-board film reserve means fewer roll changes
- High UV protection and weather-resistant



Dimensions	Colour	Rolls/Pallet
750 mm x 1800 m x 22 μ	White	20



Tama USA Inc.

P.O. Box 506, Dubuque IA 52004-0506

Tel: (563) 583-3035 Fax: (563) 583-3531

Toll Free: 1-800-225-8946 E-mail: info@tama-usa.net

Website: www.tama-usa.com

Dealer:

www.claasofamerica.com